

UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER OF PATENTS AND TRADEMARKS Washington, D.C. 20231 www.uspto.gov

APPLICATION NO.	F	ILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
09/437,296		11/09/1999	MICHIO YAMAJI	991283	7789
23850	7590	02/04/2002			
		STERMAN & HA	EXAMINER		
1725 K STI SUITE 100	0		DUNWOODY, AARON M		
WASHING	TON, DC	20006		ART UNIT	PAPER NUMBER
				3629	
				DATE MAILED: 02/04/2002	

Please find below and/or attached an Office communication concerning this application or proceeding.

20

	Application No.	Applicant(s)					
Office Action Summer	09/437,296	YAMAJI ET AL.					
Office Action Summary	Examiner	Art Unit					
The MAILING DATE of this area	Aaron M Dunwoody	3629					
The MAILING DATE of this communication appears on the cover sheet with the correspondence address Period for Reply							
A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) FROM THE MAILING DATE OF THIS COMMUNICATION. - Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication. - If the period for reply specified above is less than thirty (30) days, a reply within the statutory minimum of thirty (30) days will be considered timely. - If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication. - Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). - Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b). Status							
1) Responsive to communication(s) filed on 17 D	1) Responsive to communication(s) filed on <u>17 December 2001</u> .						
2a)⊠ This action is FINAL . 2b)□ This	This action is FINAL . 2b) This action is non-final.						
3) Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under <i>Ex parte Quayle</i> , 1935 C.D. 11, 453 O.G. 213.							
Disposition of Claims							
4)⊠ Claim(s) <u>1</u> is/are pending in the application.							
4a) Of the above claim(s) is/are withdrawn from consideration.							
5) Claim(s) is/are allowed.							
6)⊠ Claim(s) <u>1</u> is/are rejected.							
7) Claim(s) is/are objected to.							
8) Claim(s) are subject to restriction and/or	election requirement.						
Application Papers							
9)☐ The specification is objected to by the Examiner.							
10)☐ The drawing(s) filed on is/are: a)☐ accepted or b)☐ objected to by the Examiner.							
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).							
11)⊠ The proposed drawing correction filed on is: a) ☐ approved b) ☒ disapproved by the Examiner.							
If approved, corrected drawings are required in reply to this Office action.							
12)☐ The oath or declaration is objected to by the Examiner.							
Priority under 35 U.S.C. §§ 119 and 120							
13) Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).							
a)⊠ All b)☐ Some * c)☐ None of:							
1. Certified copies of the priority documents have been received.							
2. Certified copies of the priority documents have been received in Application No							
 3. Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)). * See the attached detailed Office action for a list of the certified copies not received. 							
14) ☐ Acknowledgment is made of a claim for domestic priority under 35 U.S.C. § 119(e) (to a provisional application).							
a) The translation of the foreign language provisional application has been received. 15) Acknowledgment is made of a claim for domestic priority under 35 U.S.C. §§ 120 and/or 121.							
Attachment(s)							
1) Notice of References Cited (PTO-892) 2) Notice of Draftsperson's Patent Drawing Review (PTO-948) 3) Information Disclosure Statement(s) (PTO-1449) Paper No(s)	5) Notice of Informal Pa	PTO-413) Paper No(s) atent Application (PTO-152)					

Application/Control Number: 09/437,296

Art Unit: 3629

DETAILED ACTION

Drawings

Figure 4 should be designated by a legend such as --Prior Art-- because only that which is old is illustrated, as indicated on page 1, line 21 of the instant application. See MPEP § 608.02(g).

The drawings are objected to because each figure must have a unique figure number, such as "Fig. 1A" or "Fig. 1B". 37 CFR 1.85(u)(1) Correction is required.

Claim Rejections - 35 USC § 103

The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.

Claim 1 is rejected under 35 U.S.C. 103(a) as being unpatentable over US patent 5433454, Ramberg in view of US patent 5967489, Nakazawa et al. Ramberg discloses a fluid coupling comprising first and second coupling members (10, 10') having respective gasket holding annular ridges (29) on butting end faces thereof, and an annular gasket (20) interposed between the two coupling members, the fluid coupling being characterized in that at least has a fluid channel comprising an opening passageway (12) orthogonal to the butting end face thereof, the opening passageway having a diameter equal to the inside diameter of the annular ridge, and the gasket having an inside diameter smaller than the diameter of the opening passageway. Ramberg does not disclose a slanting main passageway communicating with the

Application/Control Number: 09/437,296

Art Unit: 3629

opening passageway, and having a diameter smaller that the diameter of the opening passageway. Nakazawa et al teaches a slanting main passageway (41) communicating with an opening passageway (18), and having a diameter smaller that the diameter of the opening passageway "to ensure improved fluid tightness" (column 3, line 50). It would have been obvious to one having ordinary skill in the art at the time the invention was made to provide a slanting main passageway communicating with the opening passageway, and to provide a diameter smaller that the diameter of the opening passageway to ensure improved fluid tightness, as taught by Nakazawa et al.

Conclusion

Applicant's amendment necessitated the new ground(s) of rejection presented in this Office action. Accordingly, **THIS ACTION IS MADE FINAL**. See MPEP § 706.07(a). Applicant is reminded of the extension of time policy as set forth in 37 CFR 1.136(a).

A shortened statutory period for reply to this final action is set to expire THREE MONTHS from the mailing date of this action. In the event a first reply is filed within TWO MONTHS of the mailing date of this final action and the advisory action is not mailed until after the end of the THREE-MONTH shortened statutory period, then the shortened statutory period will expire on the date the advisory action is mailed, and any extension fee pursuant to 37 CFR 1.136(a) will be calculated from the mailing date of the advisory action. In no event, however, will the statutory period for reply expire later than SIX MONTHS from the date of this final action.

Application/Control Number: 09/437,296

Art Unit: 3629

Page 4

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Aaron M Dunwoody whose telephone number is (703) 306-3436. The examiner can normally be reached on Monday - Friday between 7:30 am to 4:00 pm.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Lynne H Browne can be reached on (703) 308-1159. The fax phone numbers for the organization where this application or proceeding is assigned are (703) 305-7687 for regular communications and (703) 305-7687 for After Final communications.

Any inquiry of a general nature or relating to the status of this application or proceeding should be directed to the receptionist whose telephone number is (703) 308-1113.

.amd January 31, 2002

Tynne H. Browne
Supervisory Patent Examiner
Technology Center 3620